

# QUALITY CONTROL DEPARTMENT

<b>ORDER NUMBER</b>

## SPECIFICATION SHEET



PRODUCT
Solvent 340 <span style="float: right;">257300 -0020</span>

SPECIFICATION	SPECIFICATION VERSION	SPECIFICATION DATE
09130/GJ/CIT	1.3000	01/01/2006

PRODUCT SPECIFICATION			
TEST	TEST ID	UNITS	REQUIREMENTS
Date Heading	Date Heading		Use By Date, Expiration Date, Retest Date, None
Appearance (c)	L-460		Clear
Assay Gas Chromatography (n)	L-099		Conforms
Color~ Saybolt (n)	L-020-1	Saybolt	28 =< Value =< 30 Saybolt
Specific Gravity 15.6C (n)	L-010		.754 =< Value =< .79
API Gravity 15.6C (n)	L-011		50 =< Value =< 55
Water in volatile solvents (n)	L-036	%	0 =< Value =< .04 %
Acidity (as Acetic Acid) (n)	L-055	% wt.	0 =< Value =< .001 % wt.
Nonvolatile Matter (n)	L-440-2	g./100ml	0 =< Value =< .001 g./100ml
Aniline Point (n)	L-052-1	deg F	0 =< Value =< 165 deg F
Aromatic Content by G.C. (n)	L-065	% wt.	0 =< Value =< 2 % wt.
IBP Distillation Range (c)	L-453-1	deg F	300 =< Value =< 360 deg F
DP Distillation Range (c)	L-454-1	deg F	0 =< Value =< 360 deg F
Sulfur(Trace)in Hydrocarbons c	L-467		50 ppm max.
Flash Point (n-F)	L-025	Deg. F	102 =< Value =< 110 Deg. F
Copper Corrosion 3Hr100C (c)	L-471		1.2 max.
Refractive Index 20C (n)	L-001	(n)	1.4135 =< Value =< 1.4352 (n)
Country Of Origin	COUNTRY		
Manufacture Name	MFG NAME		
Shelf Life	SHELF LIFE		

REMARKS

DOT MARKINGS
--------------

UN CODE	PACKAGING GROUP	CAS NUMBER
1268	III	

DOT NAME
Petroleum distillates, n.o.s.

# QUALITY CONTROL DEPARTMENT

ORDER NUMBER

## SPECIFICATION SHEET



CONTAINS

HAZARD TEXT

Flammable Liquid

### Important

The information on the sheet is believed to be accurate but is not warranted to be so. Protective equipment, health effects, and other related safety measures are based on intended and anticipated product use. Recipients are advised to confirm in advance of need that the information is applicable and suitable to their circumstances.