

QUALITY CONTROL DEPARTMENT

ORDER NUMBER

SPECIFICATION SHEET



PRODUCT	
Xylene LAB Grade	297530 -0101

SPECIFICATION	SPECIFICATION VERSION	SPECIFICATION DATE
11283/GJ/GJ	1.4000	01/01/2006

PRODUCT SPECIFICATION			
TEST	TEST ID	UNITS	REQUIREMENTS
Date Heading	Date Heading		Use By Date, Expiration Date, Retest Date, None
Appearance (c)	L-460		Clear
ACS Assay Gas Chromatography n	L-215	% wt.	98.5 =< Value =< 100 % wt.
Color (n)	L-020	APHA	0 < Value < 10 APHA
ACS Residue After Evap. (c)	L-220		0.001 % max.
ACS Sub.Dark.Sulfuric Acid (c)	L-225		pass
ACS Sulfur Compound (c)	L-230		0.003 % max
Water in volatile solvents (n)	L-036	%	0 =< Value =< .05 %
ACS Density 25C	L-222		.857 =< Value =< .864
ACS Boiling Range (c)	L-435		137-144 degC
Refractive Index25C (n)	L-002	(n)	1.4915 =< Value =< 1.503 (n)
Country Of Origin	COUNTRY		
Manufacture Name	MFG NAME		
Shelf Life	SHELF LIFE		

REMARKS

DOT MARKINGS

UN CODE	PACKAGING GROUP	CAS NUMBER
1307	III	1330207

DOT NAME
UN1307, Xylenes 3, PGIII

CONTAINS

HAZARD TEXT

Important

The information on the sheet is believed to be accurate but is not warranted to be so. Protective equipment, health effects, and other related safety measures are based on intended and anticipated product use. Recipients are advised to confirm in advance of need that the information is applicable and suitable to their circumstances.